

MANUFACTURING PPE BROCHURE

PERSONAL PROTECTIVE EQUIPMENT BROCHURE





Product Code: BBCS



COLORADO SAFETY SPECTACLES

- Wrap around single lens.
 Nylon frame.
 Polycarbonate lens.
- Adjustable side arms.

- Conform to EN166:
 Optical Class:1
 F (Low impact energy)
 2-1.2 UV Filter







Product Code: BBFFWG

Available in Colours: Green BBFFWG

FLIP FRONT WELDING GOGGLES

- Green soft PVC frame.
- Green polycarbonate lens shade 5.
 4 indirect vents.
 Black ABS lens holder.

- EN175 :1997. EN166 :2001.







Available in Colours:

Clear BBGPG

GENERAL PURPOSE GOGGLES

- Polycarbonate lens with PVC frame.
 Comfortable.
- Light weight.Direct vent.
- Conform to EN166:
 Optical Class:1
 B (Medium impact energy)
- Fields of use: - 3 Liquids







Product Code: 1100

Available in Colours: As Shown 1100 Х



3M 1100 Ear plugs

The comfortable foam plugs (Uncorded version) 3M 1100 are soft, disposable, polyurethane foam earplugs offering excellent protection.

- Soft polyurethane foam offers maximum wearer comfort
 Smooth, dirt-resistant surface
 Tapered design fits most ear canals
 SNR = 37dB







Product Code: 1100R



3M 1100 PLUG DISPENSER REFILL PACK

1100 Series Ear Plugs Dispenser Refill Pack. The comfortable foam plugs Uncorded version 3M 1100 are soft, disposable, polyurethane foam earplugs offering excellent protection.

Soft polyurethane foam offers maximum wearer comfort

- Smooth dirt-resistant surface.
 Tapered design fits most ear canals.

Attenuation: SNR=37dB, H=37dB, M=34dB, L=31dB



3M

Product Code: 1110

Available in Colours: As Shown


3M 1110 EAR PLUG CORDED

3M 1110 Ear plugs

The comfortable foam plugs (Corded version) 3M 1100 are soft, disposable, polyurethane foam earplugs offering excellent protection.

- Soft polyurethane foam offers maximum wearer comfort
 Smooth, dirt-resistant surface
- Tapered design fits most ear canals





BBED

Available in Colours: Red

ECONOMY EAR DEFENDERS

- Economy Ear Defender
 Lightweight robust design
 Adjustable headband
 Conforms to EN352-2:2002
 SNR 27dB, H=33, M=24, L=15







Product Code: BBED1

Available in Colours:



PREMIUM EAR DEFENDER

• Premium foldable ear defender.

- Fremium for able ear defender.
 Extremely comfortable with extra large foam pads.
 Padded adjustable headband allows easy fitting.
 Good attenuation performance.
 Conforms to EN352-1:2002
 SNR 33db, H=34, M=31, L=24







BBEP

Available in Colours: Blue BBEP

EAR PLUGS

- Foam disposable ear plugs
 Found to be in conformity with council directive 89/686/EEC relating to PPE.
 Conforms to EN352-2:2002
- SNR 34db, H=33, M=31, L=28







Product Code: BBEP25

Available in Sizes: One Size

Available in Colours: Green BBEP25

B-BRAND EASY FIT EARPLUGS

• TPR disposable ear plugs.

Found to be in conformity with council directive 89/686/EEC relating to PPE.
Conforms to EN352-2:2002

Attenuation Data: SNR=27, H=27, M=23, L=23







Product Code: BBEP500DS


Available in Colours: Yellow BBEP500DS

B-BRAND EAR PLUG DISPENSER 500

- Free standing or wall mounted
 Robust design
 Easy twist action dispenser
 Bottle rotates and unscrews easily for refilling
 Contains 500 pairs of distinctive hi-vis foam disposable ear plugs
 Found to be in conformity with council directive 89/686/EEC relating to PPE.
 Conforms to EN352-2:2002
 SNR 34db, H=33, M=31, L=28







Product Code: BBEP500R

B-BRAND EAR PLUG REFILL PACK 500

- · Pack contains 500 pairs of distinctive hi-vis foam disposable ear plugs
- It is found to be in conformity with council directive 89/686/EEC relating to PPE.
 Conforms to EN352-2:2002
 SNR 34dB, H=33, M=31, L=28
- For use with BBEP500DS dispenser.







Product Code: BBEP500RB



B-BRAND EAR PLUG REFILL BOTTLE 500

- Bottle contains 500 pairs of distinctive hi-vis foam disposable ear plugs.
 It is found to be in conformity with council directive 89/686/EEC relating to PPE.
 Conforms to EN352-2:2002
- SNR 34db, H=33, M=31, L=28
- For use with BBEP500DS







Product Code: BBFED


Available in Colours: Yellow

FOLDING EAR DEFENDER

- Premium quality ear defender
- Adjustable fold away headband
- Self aligned earcups
 Conforms to EN352-1:2002
 SNR 30dB, H=36, M=28, L=18







BBSED

Available in Colours: Blue

SUPERIOR EAR DEFENDERS

- Superior Ear Defender
 Padded adjustable headband
 Conforms to EN352-1:2002
 SNR 25dB, H=31, M=21, L=12







Product Code: BS004

Available in Colours: Saturn Yellow


B-SAFE EAR DEFENDER

• Superior Ear Defender. · Padded adjustable headband.

Conforms to EN352-2:2002 SNR 27, H=30, M=25, L=18







AEGEAN EAR DEFENDER

- Excellent noise protection, especially for high frequencies
 For use with all Centurion helmets except for Vision Plus
 Ideal applications include drilling, digging, hammering and grinding
 The Aegean ear defender can be used between 93 120dB

 - Easy to attach to Helmet
 - S42CE: supplied withS570 & S565 Clips, to fit Euro, Connect & Combi accesssory slots, to fit all helmets
 - H:=34dB, M=27dB, L=20dB • SNR: 30Db



CNS42CE







Product Code: EAR1TPD

EAR ONE TOUCH PRO DISPENSER

Conveniently provide hearing protection where employees need it. The 3M One Touch Pro Earplug Dispenser dispenses one earplug at a time with a simple twist. No more expense and waste of individually wrapped plugs. Made from ABS plastic with a powdercoated steel-back plate, it's designed for challenging environments indoors and outdoors.

- Accurately dispenses one earplug at a time
 Dispenses earplug directly into hand
 Durable ABS plastic for tough environments

- Free-standing or wall-mounted
- Shields earplugs from wind and rain Mounting holes designed to fit a variety of competitive dispensers
- Dispenser only







Product Code: EARCRB

EAR CLASSIC REFILL BOTTLE

The One Touch dispenser refills are extremely easy to change in a few simple steps. When the One Touch is empty the bottle can simply be replaced or refilled, the dispensing mechanism and stand can be used time and time again. Any residual plugs left can be emptied into the new refill resulting in no waste. • SNR 28dB, H=30dB, M=24dB, L=22dB







Product Code: EARS21

EAR SOFT 21 EAR PLUGS

The 3M E-A-R Soft 21 earplugs provide excellent protection whilst being easy to use.

They simply push into the ear canal, requiring no roll down and helps to ensure a correct fit.

- Low attenuating
 Easy to use push in
 No roll down required
- Uncorded

Attenuation:

SNR=21dB H=24dB, M=17dB, L=14dB







Product Code: H510A



RNR* 87-98dB

PELTOR OPTIME I HEADBAND

- Optime I is very versatile protection, characterised by its lightness. Despite being so lightweight, it is the best imaginable protection.
- We have combined a low profile with generous inside depth. This makes it easy to team with other equipment and means that the ear rests comfortably.
- Optime I is the natural choice when you need to use all-round protection for both short and long spells.

• The wide, comfortable sealing rings are filled with a unique combination of fluid and foam, which gives optimum sealing and low contact pressure, ensuring the best possible comfort even during long periods of use.

 It is first-rate for use in environments with moderate industrial noise, such as workshops, sheet-metal shops and printing works, but can also be used to good effect outdoors, for instance when mowing the lawn or in connection with hobby and leisure activities.

• SNR 27dB, H=32dB, M=25dB, L=15dB





Product Code: H510B

Available in Colours: Yellow



PELTOR OPTIME I NECKBAND

- Optime I is very versatile protection, characterised by its lightness. Despite being so lightweight, it is the best imaginable protection.
- We have combined a low profile with generous inside depth. This makes it easy to team with other equipment and means that the ear rests comfortably.
- Optime I is the natural choice when you need to use all-round protection for both short and long spells.
- The wide, comfortable sealing rings are filled with a unique combination of fluid and foam, which gives optimum sealing and low contact pressure, ensuring the best possible comfort even during long periods of use.

 It is first-rate for use in environments with moderate industrial noise, such as workshops, sheet-metal shops and printing works, but can also be used to good effect outdoors, for instance when mowing the lawn or in connection with hobby and leisure activities.

• SNR=26dB, H=30dB, M=24dB, L=15dB







Product Code: H510F-404-GU

PELTOR OPTIME 1 FOLDING HEADBAND

3M Peltor Optime I H510F Ear muffs

The 3M Peltor Optime I offers versatile protection and is very lightweight providing high wearer comfort. It combines a low profile with generous inner depth which makes it easy to combine with other equipment and allows the ear to rest comfortably. The 3M Peltor Optime I Earmuff is your choice for both short and long durations tasks. The wide comfortable sealing rings are filled with a unique combinations of fluid and foam, which gives optimum sealing and low contact pressure at the same time. It is ideal for use in environments with moderate industrial noise, such as workshops, sheet-metal shops and printing works, but also suitable for outdoor tasks such as lawn mowing or in connection with hobby and leisure activities.

SNR=28dB, H=32dB, M=25dB, L=16dB







H520A

Available in Colours:

RNR* 94-105dB

Green

PELTOR OPTIME II HEADBAND

• Optime II has been developed for demanding noise-hazard environments and muffles even extremely low frequencies to a maximum degree.

• The sealing rings are filled with a unique combination of liquid and foam. The result is an optimum seal with low contact pressure, which provides snug comfort even during long-time use.

• The sealing rings have ventilation channels and are covered with soft, patterned, hygienic foil.

 Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work.

• SNR 31db













PELTOR OPTIME II NECKBAND

• Optime II has been developed for demanding noise-hazard environments and muffles even extremely low frequencies to a maximum degree.

- The sealing rings are filled with a unique combination of liquid and foam. The result is an optimum seal with low contact pressure, which provides snug comfort even during long-time use.
- The sealing rings have ventilation channels and are covered with soft, patterned, hygienic foil.

• Optime II is a suitable choice for environments with substantial industrial noise or construction machinery, airports and agricultural work.







Product Code: M6110

Available in Sizes: One Size

Available in Colours: Yellow M6110

MOLDEX M4 EAR MUFF

- High quality, robust ear muff
- High attenuation at 30 dB [SNR]

- Fign attenuation at 30 dB [SNR]
 Particularly low profile
 Light and flexible, with low contact pressure
 Comfort cushions made from viscoelastic foam
 Ribbed air cushions for cool comfort
 Plain surface for easy cleaning
 We suggest to replace the cushions & foam inserts every
 6 months [Part No 6115]

EN 352-1:2002







Product Code: M6120



Available in Colours: Navy Blue M6120

MOLDEX M5 EAR MUFF

- High quality, robust ear muff
 High attenuation at 34 dB [SNR]
 Light and flexible, with low contact pressure
 Comfort cushions made from viscoelastic foam
- Ribbed air cushions for cool comfort
- Plain surface for easy cleaning
 We suggest to replace the cushions & foam inserts every 6 months [Part No 6135]

EN: 352-1:2002





Product Code: 9922

Available in Colours: As Shown

3M 9922 MASK FFP2V VALVED

3M 9922 Particulate Respirator

Provides relief from nuisance levels of organic vapours and respiratory protection against moderate levels of fine dusts and mists

Additional Information

Reliable, effective protection against fine particulates
Activated carbon layer offers relief from the irritation of low levels of organic vapours, often present alongside particulate hazards e.

g. solvents, degreasers and resins • Up to 10 x WEL against respiratory hazards generated during welding such as

- nazaros generated during welding such as welding fume and ozone gas
 Durable collapse resistant inner shell
 Good fit over a wide range of face sizes provided by convex shape, nose clip and twin-strap design
 Comfortable, lightweight off-the-face design
- design 3M Cool Flow Valve reduces heat build-up to offer comfortable protection, particularly in
- hot and humid conditions Blue colour coded straps denote FFP2
- protection level
- Standard: EN149:2001 FFP2
- Approval: CE Marked
- Maximum use concentration: Particulates:
 10 x WEL and below WEL for organic
- vapours







Product Code: 9925

Available in Colours: As Shown

3M 9925 WELDING FUME P2

3M 9925 Welding Fume Respirator (Valved) - FFP2

Provides respiratory protection against fine dusts, mists, metal fume and Ozone.

Additional Information

- Specifically designed to offer respiratory protection in welding operations
 Efficient particulate filter resists clogging for extended use against welding fume
 Activated carbon layer filters out Ozone generated by MIG, TIG and ARC welding

operations

 3M Cool Flow valve reduces heat build-up to offer comfortable protection • Flame retardant - the specially treated outer-shell offers increased flame

retardancy • Welding shields - low profile design for compatibility with welding shields Blue colour coded valve lettering denotes FFP2 protection level.

Standard: EN149:2001 FFP2 Approval: CE Marked Maximum use level - Particulates: Assigned Protection Factor: 10 x WEL (Nominal Protection Factor 12 x WEL), up to 10 x WEL for Ozone and relief from nuisance levels of organic vapours (below WEL)

3M



Product Code: 9928

Available in Colours: As Shown

3M 9928 WELDING FUME PREMIUM

3M 9928 Premium Welding Fume Respirator (Valved) - FFP2

Provides respiratory protection against fine dusts, mists, metal fume and Ozone.

Additional Information

- Specifically designed to offer respiratory protection in welding operations
 Efficient particulate filter resists clogging for extended use against welding fume
 Activated carbon layer filters out Ozone generated by MIG, TIG and ARC welding operations
- 3M Cool Flow valve reduces heat build-up to offer comfortable protection

 Flame retardant - the specially treated outer-shell offers increased flame retardancy
 Welding shields - low profile design for compatibility with welding shields
 Soft sealing ring and adjustable straps
 ensure a comfortable, properly sealed fit
 Blue colour coded valve lettering denotes
 EFD0 FFP2 protection level.

Standard: EN149:2001 FFP2 Approval: CE Marked Maximum use level - Particulates: Assigned Protection Factor: 10 x WEL (Nominal Protection Factor 12 x WEL), up to 10 x WEL for Ozone and relief from nuisance levels of organic vapours (below WEL)

W - 4,70kg; Dimensions - 53x 40x 28cm







Product Code: BBP2

Available in Colours:

B-Brand P2 Mask

White

P2 MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
 Embossed fringe seal avoids fluffy open layers around the edges.
 Latex free synthetic rubber head strap.

- Contour design ensures the compatibility of glasses / goggles and reduces fogging. Soft close-cell nose foam and adjustablé nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-based mists.

Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.





Available in Colours:

P2 VALVED CHARCOAL MASK

- Loaded with a high performance acid-resistant active carbon pre-filter to protect against nuisance organic vapour.

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
 Embossed fringe seal avoids fluffy open layers around the edges.
 Latex free synthetic rubber head strap.
 Contour design ensures the compatibility of glasses / goggles and reduces fogging.
 Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and waterbased mists. Example: Working with hardwood, glass fibres and plastic (non PVC) and some metalwork.







Product Code: BBP2CV

Grey BBP2CV

B-Brand P2 Mask



Product Code:

Available in Colours:

B-Brand P2 Mask

White

BBP2V

P2 VALVED MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
 Embossed fringe seal avoids fluffy open layers around the edges.
 Latex free synthetic rubber head strap.

- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustable nosepiece ensure custom shape and increase the worker comfort and acceptance. Exhalation valve fitted.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and waterbased mists. Example: Working with hardwood, glass fibres and plastic (non PVC), and some metalwork.







Product Code: BBP3V

Available in Colours: White



P3 VALVED MASK

- Unique "Big Eye" design provides very low breathing resistance due to the increased filtration area.
 Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
 Embossed fringe seal avoids fluffy open layers around the edges.
 Adjustable head strap ensures the best facial seal with minimum leakage.
 Contour design ensures the compatibility of glasses/goggles reducing fogging.
 Full facial close-cell foam and adjustable nosepiece ensures increased worker comfort and acceptance.
 Protection level FFP3 with exhalation valve.
- Conforms to EN149:2001 + A1:2009 FFP3 NR

For Hazard Type: Toxic dusts, fumes and water-based mists. Example: Working with hardwood, glass fibres and plastic (non PVC), metalwork and welding.







Product Code:

Available in Sizes:

Available in Colours: Navy Blue CFRBSN Orange CFRBSOR Red CFRBSRE Royal Blue CFRBSR

> Conforms to the correct EN Standards Garment is fire retardant

Garment is suitable for welding

CFRBS

36" - 60"

FIRE RETARDANT BOILERSUIT


- 300 gram 100% cotton drill fabric with flame retardant treatment
 Concealed stud front to neck
- One left breast pocket with flap Two front hip pockets
- Plain back and hips
 Embroidered 'FR' logo to upper left sleeve

ISO 11611:2007 Class 1 A1 - Protective clothing for use in welding ISO 11612:2008 A1, B1, C1 - Protection against heat and flame

1 garment per polybag. 10 garments per carton.







Product Code: CFRBSND





FIRE RETARDANT NORDIC DESIGN BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flap
 Two front hip pockets
- Knee pad pockets
 Plain back and hips

ISO11611: 2007 Class 1 A1 - Protective clothing for use in welding ISO11612: 2008 A1, B1, C1 - Protection against heat and flame

Does NOT conform to EN ISO 20471







Product Code: **CFRPHVASBS**

Available in Sizes: S - 3XL



FIRE RETARDANT HI-VIS ANTI STATIC BOILERSUIT

- 290gsm Fabric
 Protex cotton high visibility coverall with 2% anti static woven grid
 2 Vertical side access hip pockets
 2 Breast pockets with sewn down flaps
- Concealed zip fly front to neck Action back for ease of movement
- Elasticated waist
- Plain cuffs and ankles
- EN ISO 11612: 2008 Class A1. B1. C1. E1 Protection against heat and flame
 EN 1149-5: 2008 Anti Static Material performance and design requirements
 EN1149-3: 2004 Anti Static Test methods for measurements of charge decay
 EN 471: 2003 + A1: 2007 Class 3. 2. Test method for high visibility



Product Code: CFRPKJ

Available in Sizes: S - 7XL

Available in Colours:





- FIRE RETARDANT HI-VIS JERKIN
- 100% Polyester Flame Retardent long sleeve jerkin.
- · Zip fastening. Retro-Reflective tape.
- Conforms to EN ISO 20471 Class 3 high visibility
 EN ISO 14116.
- Do not wear next to skin.
- Must be worn over EN533 Index 2 or 3 garments.







Product Code: CFRWCSY



Available in Colours:



FIRE RETARDANT HI-VIS WAISTCOAT

- Flame retardant vest100% polyester FR fabric
- Must be worn over EN ISO 14116 index 2 or 3 garments Do not wear next to skin
- Zip fastening
 FR retro-reflective hi-vis tape
- FR threads
- EN ISO 14116
- For brief contact with small igniting flames
- EN ISO 20471 Class 2 high visibility







Product Code: KLG

Available in Sizes: S - XL

Available in Colours: As Shown X



KEVLAR LATEX GLOVES LARGE

- · Kevlar knitted glove latex coated palm
- High cut resistancy. • Comfortable, allows hand to breathe through back.
- Excellent grip.

- EN388: 2003 Level 3 Abrasion Level 5 Cut Resistance Level 4 Tear Resistance Level 4 Puncture







Product Code: BFHQW

Available in Sizes: 10






CAT II BLUE GOLD WELDER GLOVE

- 16" royal blue shoulder split leather gauntlet.Fully lined.
- Gold leather welts.
- · Gold leather reinforced thumb and part palm. Kevlar sewn.

- EN388: 2003
 Level 3 Abrasion
 Level 2 Cut Resistance
 Level 3 Tear Resistance
 Level 3 Puncture
- EN407: 2004 4 3 3 X 4 X
- EN12477: 2001+A1:2005 Type A







Product Code: C2W

Available in Sizes: 11

Available in Colours: Red




RED WELDERS GAUNTLET

- Red Welders Gauntlet 14".
- Finger welts. • Fully lined hand and cuff.

- EN388: 2003
 Level 3 Abrasion
 Level 2 Cut Resistance
 Level 3 Tear Resistance
 Level 3 Puncture
- EN407: 2004 4.2.3.X.4.X







C2WRP

Available in Sizes: 11

Available in Colours: Red

> Fire Retardant Mechanical Handling

RED WELDERS PATCH PALM

- Red Welders Gauntlet 14".
 Reinforced Palm (two layers of leather).
- Finger welts.
- Fully lined including cuff.

- EN388: 2003
 Level 3 Abrasion
 Level 2 Cut Resistance
 Level 3 Tear Resistance
 Level 4 Puncture
- EN407: 2004 4.3.4.X.4.X







Product Code: HRG2

Available in Sizes: 11

Available in Colours: As Shown



HIGH QUALITY HEAT RESISTANT GAUNTLET

- · Premium quality heat resistant gauntlet.
- Brown/silver split leather Heat resistant leather palm and back.
- Vein patch.
- Wool & canvas lined.
 20cm Cuff.
- Textile edge binding. Kevlar sewn.
- EN388: 2003
- Level 4 Abrasion
 Level 2 Cut Resistance
 Level 4 Tear Resistance
- Level 4 Puncture
- EN407: 2004 4 1 3 2 X 4.







Product Code: CANDPP

Available in Sizes: 10

Available in Colours: As Shown



CANADIAN DOUBLE PALM HIGH QUALITY RIGGER GLOVE

- Heavy duty double palm rigger style glove.
 Generous hand size.
- Robust vet supple.
- Part fleece lined.
- Cotton drill back.
- Knuckle strap.Pasted cuff with vein patch.
- EN388: 2003
- Level 4 Abrasion
 Level 2 Cut Resistance
 Level 3 Tear Resistance
 Level 4 Puncture





• 4 'D' Ring Boot. • PU/Rubber

Oil resistant sole

Anti-static

 200 Joule steel toe cap Metatarsal impact protection
 Steel midsole protection
 Shock absorber heel

 Heat resistant to 300°C Slip resistant

Water resistant leather upper
 Conforms to EN ISO 20345:2011 S3 SRC

Product Code: CF5BL

Available in Sizes: 6 - 13

Available in Colours: Black CF5Bl



Anti Static Sole

Heat Resistant Sole 300c

Leather Upper

Metatarsal Impact Protection

Fuel Oil Resistant Sole

Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC



CLICK METATARSAL BOOT S3





Product Code:

GWBMSBL



CLICK GOODYEAR WELTED 6 INCH BOOT

- Goodyear Welted200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
- Slip resistant
- Leather upper
 Conforms to EN ISO 20345:2011 SBP SRC







Product Code: BSS12304

FIRE EXTINGUISHER DRY SIGN

- Safety Sign
- Fire extinguisher Dry powder Self adhesive vinyl
- 82 x 202mm
- Packed in fives







BSS12306

FIRE EXTINGUISHER FOAM SIGN

- Safety Sign
 Fire extinguisher Foam
 Self adhesive vinyl
- 82 x 202mm
- Packed in fives





BSS12001

FIRE EXIT SIGN

SAFE

PRE PACKED

ガ

- Fire exit (Man arrow right) safety sign
- Rigid PVC Sticks to most surfaces
- . Can be wiped clean
- Packed in fives
- 400 x 150mm









BSS12133

FIRE EXIT KEEP CLEAR SIGN

- Fire exit Keep clear safety sign
- Rigid PVC Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 450 x 200mm







Product Code: BSS12140

PUSH BAR TO OPEN SIGN

- Push bar to open safety sign
- Self Adhesive Vinyl
 Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 600 x 100mm







Product Code: BSS12050

FIRST AID SIGN

- First Aid safety sign Self adhesive vinyl
- Sticks to most surfaces
- Can be wiped clean • Packed in fives
- 300 x 100mm •







Product Code: BSS1859S

FLAMMABLE GAS SIGN

- Flammable Gas safety sign
- Self adhesive vinyl backing Sticks to most surfaces
- Can be wiped clean
 Packed in fives
- 200 x 200mm







BSS1869S

COMPRESSED GAS SIGN

- Compressed Gas safety sign Self adhesive vinyl backing
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 200 x 200mm

•







FIRE ESCAPE KEEP CLEAR SIGN

- Fire escape Keep clear safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
 Packed in fives
- 100 x 100mm









Protective clothing must be worn Safety sign Self Adhesive Vinyl

PROTECTIVE CLOTHING MUST BE WORN SIGN

- Sticks to most surfaces •
- Can be wiped clean
 Packed in fives
 300 x 100mm





Garment is anti-static Conforms to the correct EN Standards Garment conforms EN ISO 20471 Garment conforms To EN471 Garment is fire retardant Garment is suitable for welding Anti Slip Sole Anti Static Sole Heat Resistant Sole 300c Leather Upper **Metatarsal Impact Protection Fuel Oil Resistant Sole** Shock Absorber Heel **Steel Midsole** 200 Joule Steel Toecap Water Resistant Conforms to EN ISO 20345 S3 SRC Conforms to EN ISO 20345 SBP SRC Conforms to the correct EN Standards **Fire Retardant Mechanical Handling Minimal Risk Mechanical Handling B-Brand P2 Mask B-Brand P3 Mask** RNR* 87-98dB

RNR* 94-105dB



SAFETY2BUSINESS

MAKE A PURCHASE



LIKED WHAT YOU SAW?

IF YOU ARE INTERESTED IN MAKING A PURCHASE, PLEASE DO NOT HESITATE TO CONTACT US ON:

W: www.safety2business.com E: simonbirch@safety2business.com T: 0161 414 0500 M: 07540126493