


WASTE AND RECYCLING PPE BROCHURE

PERSONAL PROTECTIVE EQUIPMENT BROCHURE





S - 5XL

Available in Colours:



Conforms to the correct EN standards

Garments conforms to EN ISO 20471 Garment comes with a hood

Garment has a pocket for easy ID access

Garment has a mobile phone pocket

Garment is weather proof

SUPER BOMBER JACKET

- 300 Denier Heavyweight polyester with PU coating.
 Two-way heavy duty zip front with storm flap.
 Fleece lined collar.

- 2 lower bellows pockets with flaps.
- Security and phone pockets.
 Rear hem access for ease of logo applications.
 Knitted storm cuffs.
- Concealed Hood.
- 3M Retro-Reflective tape.
- Conforms to EN ISO 20471 Class 3
- Conforms to EN343
 Class 3 Resistance to Water Penetration
 Class 1 Air Permeability









Product Code: **CBJENG**

Available in Sizes: S - 6XL

Available in Colours:



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment comes with a Garment has welded or



Garment is weather proof

CONSTRUCTOR BOMBER JACKET

- Heavyweight Polyester Oxford outer shell with PU coating.
- Press stud flap.
- Quilted lining.

- Fully taped seams.
 2 Lower front pockets with flaps.
 Internal breast pocket.
 Concealed hood/drawcord in collar.
- EN ISO20471 Class 3 High Visibility
- Class 3 Resistance to Water Penetration Class 1 Air Permeability







Product Code: PUC471

Available in Sizes: S-XXXXL

Available in Colours:

Orange PUC471OR

Garment has breathable fabric

Conforms to the correct EN standards

Garments conforms to EN ISO 20471 Garment comes with a hood

Garment conforms to GO/RT 3279

Garment has welded or reinforced seams Garment is weather proof

SUPER B-DRI BREATHABLE COVERALL

- Breathable fabric
- Polyester with PU coating.
- Hood with drawcord.
- · Zip front with stud flap.
- Elasticated storm cuffs.
- Studded ankles.
- Stitched and welded seams.
 Retro reflective tape.
- Conforms to EN ISO 20471 Class 3 High Visibility
- Conforms to EN343 Class 3 Water Penetration Class 2 Air Permeability • RIS-3279-TOM - Railway use certified.





CONSTRUCTOR JACKETS



Product Code: **CTJENG**

Available in Sizes: S - 6XL

Available in Colours:



Orange CTJENGOR



Conforms to the correct EN standards



Garments conforms to EN ISO 20471 Garment comes with a



Garment has welded or reinforced seams

Garment is weather proof

- PU coated polyester.
- Quilted lining with heavy weight (160gsm) polyester filling.
- Concealed hood.
- Two-way heavy duty zip front with storm flap and security pocket.
- 2 Lower pockets with flaps.Inside breast pocket.
- Knitted storm cuffs.
- Internal 'Wicking' strip.
- Fully taped seams.
- Reflective Material.
- Conforms to EN ISO 20471 Class 3 High Visibility
 Conforms to EN 343
- Class 3 Water Penetration

Class 1 Air Permeability







Available in Sizes: S - XXXXL


Available in Colours:



Orange PUJ471OR




Garment has breathable fabric



Garments conforms to EN ISO 20471 Garment comes with a hood



Garment conforms to GO/RT 3279



Garment is weather proof

SUPER B-DRI BREATHABLE JACKET

- Breathable fabric.Polyester with PU coating.
- Concealed hood.
- Full zip front with double storm flap.
- Self double yoke back.
- Lower pockets with flap.Elasticated storm cuffs.Stitched and welded seams.
- Reflective material.
- EN ISO20471 Class 3 High Visibility

EN343
 Class 3 Resistance to Water Penetration Class 2 Air Permeability

• RIS-3279-TOM - Railway use certified.









Product Code: **PKJENG**

Available in Sizes: S - 6XL



Orange PKJENGOR





Garments conforms to EN ISO 20471





- 100% polyester.
- · Hook and loop fastening.
- Reflective material.
- Conforms to EN ISO 20471 Class 3 high visibility







POLO SHIRT SHORT SLEEVED

- 100% polyester "Bird Eye" fabric.3 Button placket.Grey trim to collar and cuffs.

- Retro-Reflective tape.
- Conforms to EN ISO20471 Class 2 High Visibility
- RIS-3279-TOM Railway use certified.









Product Code: BPKSLSEN

Available in Sizes: S - 8XL

Available in Colours:




Orange BPKSLSENOR



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



- 100% polyester "Bird Eye" fabric.
- 3 Button placket.Grey trim to collar and cuffs.Retro-Reflective tape.
- Conforms to EN ISO20471 Class 3 high visibility
- RIS-3279-TOM Railway use certified.







Garment has breathable fabric Conforms to the correct EN standards Garments conforms to EN ISO 20471 Garment conforms to GO/ RT 3279 Garment is weather proof

BSEEN PU OVERTROUSERS

- Breathable fabricPolyester with PU coatingOvertrousers with elasticated waist
- Studded ankles
- 3M retro-reflective tape
- EN ISO 20471 Class 2 high visibility
- Class 3 resistance to water penetration Class 2 breathability
- RIS-3279-TOM Railway use certified.









Product Code: TEN

Available in Sizes: S - 6XL

Available in Colours:



Orange TENOR



Conforms to the correct EN standards



Garments conforms to EN ISO 20471



Garment has a Fully Elasticated Waistband Garment has welded or reinforced seams



Garment is weather proof

- · Heavyweight PVC coated polyester
- Elasticated waist
- 2 position stud adjustment to legs2 x Side pockets with storm flaps

- Fully taped seams
 Retro-reflective tape
- EN ISO 20471 Class 1 high visibility
- Class 3 resistance to water penetration Class 1 breathability







HI VIZ ID VEST EN20471

- Hi Visibility Vest with Id Pocket to left breast100% polyesterHook and loop fastening

- Retro-reflective tape
- 2 x body bands2 x braces
- EN ISO 20471 Class 2 high visibility (sizes M - 5XL) Class 1 high visibility (sizes XS - S)

ID Pocket dimensions - 12 x 10.5cm









Product Code: FLJ

Available in Sizes: XS - 5XL

Available in Colours:



Navy Blue FLJN

- 280gsm polyester
- Chunky zip front fastening
 Drawcord waist
 Two zipped side pockets







Product Code: BBKP05

BALACLAVA

- Acrylic material
 Offers good insulation
 Ideal for winter use.
 Available in a 3M Lines Thinsulate version (THBBL)







HEAVY DUTY GEL KNEE PAD



Adjustable clip buckle and hook and loop closure.

Hard shell cap to aid swivelling.Gel foam centre to cap for even weight distribution when worn For long periods.
An all round superior Knee Pad.
Fully CE approved
Conforms to EN14404:2004 Type 1 Level 1







THERMAL LONG JOHN

Thermal long John Trousers
Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- Soft, polyester/viscose fibre
 Good insulation againstcold conditions
 Lightweight material
 Heat seal labelling for irritation-free fit
 Essential later for cold temperatures

Ideal for; Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking Winter sports







LONG SLEEVE THERMAL VEST

Long Sleeved Thermal vest

Perfect for outdoors or cold environments this base layer provides the wearer an additional source of warmth, while still allowing the body to breath and enabling a full range of movement. A comfortable fit that is close to the body and virtually unnoticeable under everyday work clothing.

- · Short sleeved theremal vest
- Soft, polyester/viscose fibre
- · Good insulation against cold conditions
- Lightweight material

Ideal for; Warehouse / Distribution
Construction / Trade
Engineering / Fabrication
Farming / Agriculture
Rambling / Walking Winter sports









CPMPT

Available in Sizes: 30" - 46" (Available in Tall

Available in Colours:





Garment has Knee Pad Pockets

CLICK PREMIUM MULTI PURPOSE TROUSERS

- Rugged heavyweight polyester cotton fabricMulti-feature design
- Holster pockets
- Large pockets, tool holder, fasteners
 Hard wearing 'Duratex' kneepad pockets and hip linings
 All main seams are triple stitched for maximum strength
 Available in Regular and Tall fit (T)
 Also available in Navy Reg & Tall fit





COMBAT TROUSERS



Product Code: PCCT

Available in Sizes: 30" - 50"

Available in Colours:



Navy Blue PCCTN



- Poly Cotton
- Zip fly and belt loops

- Adjustable clips
 2 front pockets with button flap
 2 lower pleated pockets with button flap
 2 rear pockets with button flap
 Drawcord ankles







Product Code: BBCFG

Available in Colours:



COMFORT FIT GOGGLES

- Wide vision goggleBlue tint pvc frameIndirect vent

- Wrap around style provides excellent panoramic vision
 Foam surround for extra comfort and improved seal
- Adjustable strap
- Conform to EN166:
- Optical Class:1
 B T (Medium impact energy at extreme) temperatures)

- Fields of use:
 3 Liquids
 4 Large dust particles
 9 Molten metal and hot solids





COLORADO SAFETY SPECTACLES



Product Code: BBCS

Available in Colours:



Grey BBCSS2GY

Yellow BBCSS2Y

- Wrap around single lens.
- Nylon frame.
- Polycarbonate lens.Adjustable side arms.

- Conform to EN166:Optical Class:1F (Low impact energy)2-1.2 UV Filter







GENERAL PURPOSE GOGGLES

- Polycarbonate lens with PVC frame.Comfortable.
- Light weight.Direct vent.

- Conform to EN166:Optical Class:1B (Medium impact energy)

Fields of use:

- 3 Liquids









BBPG

Available in Colours:



- Wide vision lens.
- Unvented.
- Soft and flexible for extra comfort.
 Adjustable wide headband.
 Available in 2 frame colours.

- Conform to EN166:
- Optical Class:1
 B (Medium impact energy)

Fields of use:
- 9 Molten metal and hot solids







VEGAS SAFETY SPECTACLES

- Ultra lightweight
 Polycarbonate wrap around lens
 Low impact
- One piece side arm

- Conform to EN166:Optical Class:1F (Low impact energy)







Product Code: BBEVSH

Available in Colours:



Blue BBEVSHB



Green BBEVSHG



Red BBEVSHRE



White BBEVSHW Yellow BBEVSHY

ECONOMY VENTED SAFETY HELMET

- Modern Stylish Design
- ABS Shell
- Vents to crown
- Lightweight
 Plastic harness c/w sweatband
 Slots for attachments
 Conforms to EN397

- •use FXVP25Z post for helmet attachments







COMFORT VENTED SAFETY HELMET

- Modern Stylish DesignABS Shell
- Vents to crown
- Lightweight
- 6 point webbing harness
- Slip-ratchet headband adjustment
- Slots for attachments
- Complete with terry towelling sweatband
- Available in 7 colours
 Conforms to EN397
- •use FXVP25Z post for helmet attachments







Product Code: HC600VW-HXSPEC

Available in Colours:



Orange HC600VOR-HXSPEC

White HC600VW-HXSPEC

Yellow HC600VY-HXSPEC

SCOTT HC600V C/W HXSPEC

Style 600

The Protector Style 600 safety helmet has been developed using the latest in industrial design techniques. The Style 600 has a unique combination of safety, comfort and styling features, to ensure acceptance by users in the most arduous head protection environments.

The helmet design incorporates multiple branding positions and utilises durable ABS plastic to meet companies requirements for high impact corporate identity. The helmet has an eight point terylene head gear.

- Key Features
 Innovative design
 Integral spectacle
 Unique ventilation
 Hearing protection interface
 Retracts into the shell when not in use
- · Comprehensive range of branding
- positions and options
 Comfortable and well balancedVDE approved to 1000 Vac

Standards

- CE Certified to EN397
 HXSPEC Eyeshield approved to EN166 Grade B - Medium Impact







Product Code: RB405

Available in Sizes: One Size

Available in Colours: Navy Blue

WINTER HELMET LINER

- Two Layers100% FRcotton shell with fleece lining.

- Regular length.
 Colour: Shell Navy, Lining Red.
 Cotton twill is flame retardant treated.
 2 internal ear pockets for use with warmer pads.
 Hook and loop fastening chin strap









BBED

Available in Colours: Red

- Economy Ear Defender

- Lightweight robust design
 Adjustable headband
 Conforms to EN352-2:2002
 SNR 27dB, H=33, M=24, L=15







FOLDING EAR DEFENDER

- Premium quality ear defenderAdjustable fold away headband

- Self aligned earcups
 Conforms to EN352-1:2002
 SNR 30dB, H=36, M=28, L=18







Product Code: Z1HME

Available in Colours:



ZONE 1 HELMET MOUNTED EAR DEFENDER

- Universal 30mm attachment posts
- · Maintains optimum and even cushion pressure • Twin stirrup design maintains stability and attenuation performance
- Airing and park positions
 Low profile reduces snagging risk
 Lightweight design
 Simple head size adjustment
 Impact resistant ABS ear cups

- Suitable for working with electricity (Dielectric)
 CE certified to EN352-3-2002
 SNR Rating 27
 Approved to global hearing protection standards (CE, ANSI, AUS/NZ)
- Universal maintenance and hygiene kits







P2 VALVED MASK

- Polypropylene (P.P) outer layer provides smooth lining and avoids loose fibres.
 Embossed fringe seal avoids fluffy open layers around the edges.
- Latex free synthetic rubber head strap.
- Contour design ensures the compatibility of glasses / goggles and reduces fogging.
- Soft close-cell nose foam and adjustablé nosepiece ensuré custom shape and increase the worker comfort and acceptance.
- Exhalation valve fitted.
- Conforms to EN149:2001 + A1:2009 FFP2 NR

For Hazard Type: Toxic dusts, fumes and water-

Example: Working with hardwood, glass fibres and plastic (non PVC), and some metalwork.







Product Code:

Available in Sizes: S - 5XL

Available in Colours:

Navy Blue NBDSN

Orange NBDSOR Saturn Yellow NBDSSY

Garment has a Fully Elasticated Waistband BDri Fully Interactive

Garment has welded or reinforced seams Garment comes with a

NBDS

NYLON B-DRI WEATHERPROOF SUIT

Jacket and Trouser Pack

- Lightweight nylon with PVC coating to the inside
- Zip front
- Concealed Hood
- lower front pocket with flaps
- Studded cuffs
- Hip drawcord
- Fully taped seams

Trousers:

- Elasticated waist
- · Access to pockets
- Stud fastening to ankles
- Fully taped seams

Manufactured in lightweight nylon with PVC waterproof coating to the inside surface, fully taped seams. Jacket with full zip front opening with attached hood/drawcord fully retractable into 'mandarin' collar, two lower front pockets concealed under wide flap, hip drawcord.

Trousers with elasticated waist, through access pockets and adjustable stud fastening at ankle.







Conforms to the correct EN Standards Garment is fire retardant

Garment is suitable for welding

Product Code: **CFRBSND**

Available in Sizes: 36" - 60"

Available in Colours: Navy Blue CFRBSNDN Orange CFRBSNDOR Red CFRBSNDRE

> Conforms to the correct EN Garment is fire retardant Garment is suitable for

FIRE RETARDANT BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
 Concealed stud front to neck
- One left breast pocket with flap
- Two front hip pockets
- Plain back and hipsEmbroidered 'FR' logo to upper left sleeve

ISO 11611:2007 Class 1 A1 - Protective clothing for use in welding ISO 11612:2008 A1, B1, C1 - Protection against heat and flame

- 1 garment per polybag.
- 10 garments per carton.







FIRE RETARDANT NORDIC DESIGN BOILERSUIT

- 300 gram 100% cotton drill fabric with flame retardant treatment
- FR reflective tape. (Nordic Pattern)
- Concealed stud front to neck
- One left breast pocket with flapTwo front hip pockets
- Knee pad pockets
 Plain back and hips

ISO11611: 2007 Class 1 A1 - Protective clothing for use in welding ISO11612: 2008 A1, B1, C1 - Protection against heat and flame

Does NOT conform to EN ISO 20471







KEVLAR LATEX GLOVES LARGE

- Kevlar knitted glove latex coated palm
 High cut resistancy.
 Comfortable, allows hand to breathe through back.
- Excellent grip.


EN388: 2003

- Level 3 Abrasion
 Level 5 Cut Resistance
 Level 4 Tear Resistance
 Level 4 Puncture









Product Code: FGG

Available in Sizes: M - XXL

Available in Colours:



FINGERLESS GEL GLOVES

- High Quality Fingerless Gloves.
- Leather palm

- Learner pairn
 Gel Inserts.
 Terry towel backing
 Comfort Fit.
 Reflective Piping.
 Ideal for use with power tools.
 Sport or gymnasium use.
 Minimal Risk







ECONOMY GRIP GLOVE

- Economy multi-purpose glove.Natural rubber coated palm.Knitted area on back of glove aids breathability comfort.
- EN388: 2003

- Level 2 Abrasion
 Level 1 Cut Resistance
 Level 2 Tear Resistance
 Level 1 Puncture









Product Code: MP1

Available in Sizes: S - XXL

Available in Colours:



Green MP1G





Mechanical Handling

- Multi-purpose glove.
- · Latex rubber coated palm.
- Knitted base construction to allow air passage. and aid comfort.
- Excellent dexterity.Ideal for construction and steel handling.
- EN388: 2003

- Level 2 Abrasion
 Level 2 Cut Resistance
 Level 4 Tear Resistance
 Level 3 Puncture







NITRILE PU MIX COATED GLOVE

- Knitted nylon/lycra glove
 Nitrile/water based PU palm and finger coating.
 Breathable, Soft and tactile finish

- Level 4 Abrasion
 Level 1 Cut Resistance
 Level 3 Tear Resistance
 Level 1 Puncture









Product Code: **NDGBL**

Available in Sizes: S - XL

Available in Colours: As Shown

Mechanical Handling

- 100% Nylon seamless shell.
- Nitrile coated palm and fingers.

- Ventilated back.
 Lightweight for maximum dexterity and comfort with sensitivity.
 Suitable for general assembly handling and engineering applications
- EN388: 2003
- Level 3 Abrasion
 Level 1 Cut Resistance
 Level 2 Tear Resistance
 Level 1 Puncture





Product Code: PVCFWKW Available in Sizes: Available in Colours: Red PVCFCKWR Mechanical Handling

PVC FULLY COATED KNITWRIST

- Fully coated pvc glove.Stockinette liner.
- Elasticated cuff.
- EN388: 2003
- Level 3 Abrasion
 Level 1 Cut Resistance
 Level 1 Tear Resistance
- Level 1 Puncture





PVC GAUNTLET OPEN CUFF 14 INCH




- 14" (36cm) overall length.
- Liquid proof.

- EN388: 2003
 Level 3 Abrasion
 Level 1 Cut Resistance
 Level 1 Tear Resistance
 Level 1 Puncture









CANADIAN HIGH QUALITY RED RIGGER GLOVE

- Grey split leather.
 Heavyweight cotton backing and safety cuff.
 Voice patch.
- Vein patch.
 Good fitting large size with fleecy lined palm and thumb-face for added comfort.

- EN388: 2003
 Level 4 Abrasion
 Level 1 Cut Resistance
 Level 4 Tear Resistance
 Level 4 Puncture







Product Code: **CANDPP**

Available in Sizes:

Available in Colours: As Shown



Mechanical Handling

Minimal Risk

CANADIAN DOUBLE PALM HIGH QUALITY RIGGER GLOVE

- Heavy duty double palm rigger style glove.
- Generous hand size.

- Robust yet supple.
 Part fleece lined.
 Cotton drill back.
 Knuckle strap.
 Pasted cuff with vein patch.

- EN388: 2003
 Level 4 Abrasion
 Level 2 Cut Resistance
 Level 3 Tear Resistance
 Level 4 Puncture







CLICK 4 D-RING MIDSOLE BOOT

- 4 D-ring bootDual density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant soleSlip resistant

- Leather upper
 Conforms to EN ISO 20345:2011 S1P SRC







CLICK DUAL DENSITY SITE BOOT S3



Product Code: CF11BL

Available in Sizes: 03 - 13

Available in Colours:




















- 5 'D' Ring Boot with scuff cap
- Dual density PU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heelAnti-static
- Oil resistant sole
- Slip resistant
- Water resistant leather upper
 Conforms to EN ISO 20345:2011 S3 SRC








CLICK TRADERS S3 THINSULATE BOOT

- Dual Density PU TPU200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-static
- Oil resistant sole

- Slip resistantNubuck leather upperWater penetration resistant
- Breathable water resistant membrane
- Conforms to EN ISO 20345:2011 S3 SRC









Conforms to EN ISO 20345 S3 SRC

- **Product Code:** CTF25
- Available in Sizes: 06 13
- Available in Colours:



3M Thinsulate Lined



Anti Static Sole Breathable Upper

Leather Upper

Fuel Oil Resistant Sole Shock Absorber Heel

Steel Midsole

200 Joule Steel Toecap

Water Resistant

Conforms to EN ISO 20345 S3 SRC

- Dual Density PU TPU 200 Joule steel toe cap
- Steel midsole protection
- Shock Absorber heel
- Anti-staticOil resistant sole Slip resistant
- Nubuck leather upper
- Water penetration resistant







Leather Upper

Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole

200 Joule Steel Toecap Water Resistant

Conforms to EN ISO 20345 S3 SRC

Conforms to EN ISO 20345 WR

CLICK S3 HIKER BOOT

- Dual density PU TPU200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static
- Oil resistant sole

- Slip resistant
 Water penetration resistant
 Breathable water resistant membrane lining
 Conforms to EN ISO 20345:2011 S3 WR SRC







GWB

Available in Sizes: 6 - 12

Available in Colours:



Nubuck GWBNB




Heat Resistant Sole 300c



Fuel Oil Resistant Sole







CLICK GOODYEAR WELTED 6 INCH BOOT

- Goodyear Welted
- 200 Joule steel toe cap
- Steel midsole protection
- Oil resistant sole
- Heat resistant sole to 300°C
 Slip resistant
- Leather upper
- Conforms to EN ISO 20345:2011 SBP SRC







Anti Slip Sole Anti Static Sole

Leather Upper

Heat Resistant Sole 300c

Fuel Oil Resistant Sole Shock Absorber Heel Steel Midsole

200 Joule Steel Toecap Water Resistant

Conforms to EN ISO 20345 S3 SRC HRO

- Sherpa PU Rubber200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-static • Oil resistant sole
- Heat resistant sole to 300°C
 Slip resistant

- Water resistant leather upper
 Conforms to EN ISO 20345:2012 S3 SRC

SHERPA DUAL DENSITY 6 INCH BOOT









Product Code: ER

Available in Sizes: 6 - 12

Available in Colours:



Acid & Alkali Resistant
















Conforms to EN ISO 20345 S5 SRC

EURO RIG BOOTS

- 200 Joule steel toe cap
- Steel midsole protection
- Anti-staticAcid and alkali resistantOil resistant sole
- Slip resistant
- Safety boot 100% waterproof
 High flexibility at low temperatures (-20°C)
- Acylic fur lining to aid insulation.
 Conforms to EN ISO 20345:2011 S5 SRC







RIGGER BOOT LINED

- Dual Density PU200 Joule steel toe cap
- Steel midsole protection Shock absorber heel
- Anti-static
- Oil resistant sole

- Slip resistant
 Acrylic fur lined.
 Apollo leather upper
 Conforms to EN ISO 20345: 2011 S1P SRC







CLICK SCUFF CAP LINED RIGGER BOOT



Product Code: RBLSSC

Available in Sizes: 6 - 12

Available in Colours: Tan



Anti Slip Sole



Anti Static Sole Leather Upper



Fuel Oil Resistant Sole



Shock Absorber Heel



Steel Midsole



200 Joule Steel Toecap




Conforms to EN ISO 20345 S1P SRC



- 200 Joule steel toe cap
- Steel midsole protection
- Shock absorber heel
- Anti-staticOil resistant sole
- Slip resistant
- Apollo leather upper
- Conforms to EN ISO 20345: 2011 S1P SRC







COMBAT SOCKS

- Warm and durableRib knit construction
- Manufactured to a high quality
- 60% Wool 40% Nylon
- Priced per Pair





SEA BOOT SOCKS



- Heavyweight material
 60% Wool
 40% Nylon
 UK Size 6-8



Available in Sizes: 9.5 - 11

Available in Colours:









WARWICK FULL SAFETY WELLINGTON

- Acifort full safety.PVC/Nitrile Rubber
- Steel toe cap
- Midsole protection
- Oil resistant outsole.
- 100% Waterproof.
 EN ISO 20345 SB P FO SRA







BSS11195

DANGER MEN AT WORK SIGN

- Danger Men at work Safety Sign
- Self adhesive vinyl backing
- Sticks to most surfaces
- Can be wiped cleanPacked in fives
- 200 x 300mm







DANGER MEN AT WORK SIGN

- Danger Men at work Safety Sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 200 x 300mm










BSS11227

- Danger Keep out safety sign
- Self adhesive vinyl backing
- Sticks to most surfaces
- Can be wiped cleanPacked in fives
- 200 x 300mm







DANGER KEEP OUT SIGN

- Danger Keep out safety sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 200 x 300mm







PROTECTIVE CLOTHING MUST BE WORN SIGN

- Protective clothing must be worn Safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm









PROTECTIVE CLOTHING MUST BE WORN SIGN

- Protective clothing must be worn Safety sign
- Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm








PROTECTIVE FOOTWEAR MUST BE WORN SIGN

- Protective footwear must be worn Safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







PROTECTIVE FOOTWEAR MUST BE WORN SIGN

- Protective footwear must be worn Safety sign
- Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm









BSS11388

- Wear fase mask Safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped cleanPacked in fives
- 300 x 100mm







WEAR FACE MASK SIGN

- Wear fase mask Safety sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







Product Code: BSS11392

PROTECTIVE GLOVES MUST BE WORN SIGN

- Protective gloves must be worn Safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







PROTECTIVE GLOVES MUST BE WORN SIGN

- Protective gloves must be worn Safety Sign
- Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







EYE PROTECTION MUST BE WORN SIGN



BSS11396

- Eye protective must be worn Safety Sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







EYE PROTECTION MUST BE WORN SIGN

- Eye protective must be worn Safety sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







BSS11404

EAR PROTECTION MUST BE WORN SIGN

- Ear protective must be worn Safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







EAR PROTECTION MUST BE WORN SIGN


- Ear protective must be worn Safety sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







SAFETY HELMETS MUST BE WORN SIGN



- Can be wiped clean
- Packed in fives
- 300 x 100mm











SAFETY HELMETS MUST BE WORN SIGN

- Safety helmets must be worn in this area Safety sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 300 x 100mm







BSS11688

HIGH VISIBILITY CLOTHING MUST BE WORN SIGN

- High visibility clothing must be worn in this area Safety sign
- Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 200 x 300mm







HIGH VISIBILITY CLOTHING MUST BE WORN SIGN

- High visibility clothing must be worn in this area Safety sign Rigid PVC
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives
- 200 x 300mm









BSS11630

- No entry safety sign Self Adhesive Vinyl
- Sticks to most surfaces
- Can be wiped clean
- Packed in fives 200 x 300mm









MAKE A PURCHASE



LIKED WHAT YOU SAW?

IF YOU ARE INTERESTED IN MAKING A PURCHASE, PLEASE DO NOT HESITATE TO CONTACT US ON:

W: www.safety2business.com E: simonbirch@safety2business.com

> T: 0161 414 0500 M: 07540126493